Journal of MOLECULAR BIOLOGY

Editor in Chief
S. BRENNER

Editors

P. Chambon
M. Gottesman
R. Huber
A. Klug
B. Mach
K. Matsubara
P. von Hippel

Associate Editors

C. R. Cantor
N.-H. Chua
D. J. DeRosier
A. R. Fersht
W. A. Hendrickson
I. B. Holland
J. Karn
R. Laskey
V. Luzzati
J. L. Mandel
B. Matthews
J. H. Miller
M. F. Moody
T. Richmond
R. Schleif
N. L. Sternberg

Volume 204

5 November to 20 December 1988

ACADEMIC PRESS
(Harcourt Brace Jovanovich, Publishers)
London Orlando San Diego New York
Toronto Montreal Sydney Tokyo

Copyright © 1987, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

Contents of Volume 204

Number 1, 5 November 1988

Akins, R. A., Grant, D. M., Stohl, L. L., Bottorff, D. A., Nargang, F. E. and Lambowitz, A. M., Nucleotide Sequence of the Varkud Mitochondrial Plasmid of *Neurospora* and Synthesis of a Hybrid Transcript with a 5′ Leader Derived from Mitochondrial RNA 1

McClain, W. H., Specific Duplications Fostered by a DNA Structure Containing Adjacent Inverted Repeat Sequences 27

Appendix: McClain, W. H. and Chen, Y.-M., More Duplications *via* Adjacent Inverted Repeat Sequences 38

Cho. K.-O. and Yanofsky, C., Development of a *trpE* Promoter-strength Measuring System and its Use in Comparison of the *trpEDCBA*, *trpR* and *aroH* Promoters . . 41

Cho, K.-O. and Yanofsky, C., Sequence Changes Preceding a Shine–Dalgarno Region Influence *trpE* mRNA Translation and Decay 51

Eguchi, Y., Ogawa, T. and Ogawa, H., Two Forms of RecA–Single-stranded DNA–Adenosine 5′-*O*-(3-thiotriphosphate) Complexes with Different Activities for Cleavage of Phage ϕ80 *c*I Repressor 61

Eguchi, Y., Ogawa, T. and Ogawa, H., Stimulation of RecA-mediated Cleavage of Phage ϕ80 *c*I Repressor by Deoxydinucleotides 69

Dreyfus, M., What Constitutes the Signal for the Initiation of Protein Synthesis on *Escherichia coli* mRNAs? 79

Kitts, P. A. and Nash, H. A., Bacteriophage Lambda Site-specific Recombination Proceeds with a Defined Order of Strand Exchanges 95

Fedor, M. J., Lue, N. F. and Kornberg, R. D., Statistical Positioning of Nucleosomes By Specific Protein-binding to an Upstream Activating Sequence in Yeast . . . 109

Hiragi, Y., Inoue, H., Sano, Y., Kajiwara, K., Ueki, T., Kataoka, M., Tagawa, H., Izumi, Y., Muroga, Y. and Amemiya, Y., Temperature Dependence of the Structure of Aggregates of Tobacco Mosaic Virus Protein at pH 7·2. Static Synchroton Small-angle X-ray Scattering 129

Aragay, A. M., Diaz, P. and Daban, J.-R., Association of Nucleosome Core Particle DNA with Different Histone Oligomers. Transfer of Histones between DNA–(H2A,H2B) and DNA–(H3,H4) Complexes 141

Janin, J., Miller, S. and Chothia, C., Surface, Subunit Interfaces and Interior of Oligomeric Proteins 155

Mariani, P., Luzzati, V. and Delacroix, H., Cubic Phases of Lipid-containing Systems. Structure Analysis and Biological Implications 165

Appendix: Comments on Entropy 188

Babu, Y. S., Bugg, C. E. and Cook, W. J., Structure of Calmodulin Refined at 2·2 Å Resolution 191

Letters to the Editor

Traxler, B. A. and Minkley, Jr, E. G., Evidence that DNA Helicase I and *oriT* Site-specific Nicking are Both Functions of the F TraI Protein 205

Miller, M., Leis, J. and Wlodawer, A., Preliminary Crystallographic Study of a Retroviral Protease 211

Nègre, D., Cenatiempo, Y. and Cozzone, A. J., Differential Pattern of Misreading Induced by Streptomycin *in Vitro* 213

ten Heggeler-Bordier, B., Claret, F.-X. and Wahli, W., Immuno-electron Microscopic Identification of Human Estrogen Receptor–DNA Complexes at the Estrogen-responsive Element and in the First Intron of a *Xenopus* Vitellogenin Gene . . 217

Number 2, 30 November 1988

Vodjdani, G., Coulombel, C. and Doly, J., Structure and Characterization of a Murine Chromosomal Fragment Containing the Interferon β Gene 221

Lankenau, D.-H., Huijser, P., Jansen, E., Miedema, K. and Hennig, W., Micropia: a Retrotransposon of *Drosophila* Combining Structural Features of DNA Viruses, Retroviruses and Non-viral Transposable Elements 233

Jin, D. J., Cashel, M., Friedman, D. I., Nakamura, Y., Walter, W. A. and Gross, C. A., Effects of Rifampicin Resistant *rpoB* Mutations on Antitermination and Interaction with *nusA* in *Escherichia coli* 247

Creusot, F., Verdière, J., Gaisne, M. and Slonimski, P. P., CYP1 (HAP1) Regulator of Oxygen-dependent Gene Expression in Yeast. I. Overall Organization of the Protein Sequence Displays Several Novel Structural Domains 263

Verdière, J., Gaisne, M., Guiard, B., Defranoux, N. and Slonimski, P. P., CYP1 (HAP1) Regulator of Oxygen-dependent Gene Expression in Yeast. II. Missense Mutation Suggests Alternative Zn Fingers as Discriminating Agents of Gene Control . 277

Beatty, L. G. and Sadowski, P. D., The Mechanism of Loading of the FLP Recombinase onto its DNA Target Sequence 283

Gregory, R. J., Cahill, P. B. F., Thurlow, D. L. and Zimmermann, R. A., Interaction of *Escherichia coli* Ribosomal Protein S8 with its Binding Sites in Ribosomal RNA and Messenger RNA 295

Cerretti, D. P., Mattheakis, L. C., Kearney, K. R., Vu, L. and Nomura, M., Translational Regulation of the *spc* Operon in *Escherichia coli*. Identification and Structural Analysis of the Target Site for S8 Repressor Protein 309

Appendix: **Mattheakis, L. C., Vu, L. and Nomura, M.,** Nucleotide Sequences of the L24/L5 Intercistronic Region of *Proteus vulgaris, Serratia marcescens* and *Salmonella typhimurium* 326

Miyazaki, C., Kawai, Y., Ohtsubo, H. and Ohtsubo, E., Undirectional Replication of Plasmid R100 331

Min, Y.-n., Tabuchi, A., Fan, Y.-l., Womble, D. D. and Rownd, R. H., Complementation of Mutants of the Stability Locus of IncFII Plasmid NR1. Essential Functions of the *trans*-acting *stbA* and *stbB* Gene Products 345

Reedy, M. C., Reedy, M. K. and Tregear, R. T., Two Attached Non-rigor Crossbridge Forms in Insect Flight Muscle 357

Savel-Niemann, A., Markl, J. and Linzen, B., Hemocyanins in Spiders. XXII. Range of Allosteric Interaction in a Four-Hexamer Hemocyanin. Co-operativity and Bohr Effect in Dissociation Intermediates 385

van Amerongen, H., Kuil, M. E., van Mourik, F. and van Grondelle, R., Linear Dichroism of the Complex between the Gene *32* Protein of Bacteriophage T4 and Poly(1,N^6-ethenoadenylic acid) 397

Wherland, S., Farver, O. and Pecht, I., Three-dimensional Model of Stellacyanin and Its Implications for Electron Transfer Reactivity 407

Hoeffken, H. W., Knof, S. H., Bartlett, P. A., Huber, R., Moellering, H. and Schumacher, G., Crystal Structure Determination, Refinement and Molecular Model of Creatine Amidinohydrolase from *Pseudomonas putida* 417

Pathak, D., Ngai, K. L. and Ollis, D., X-ray Crystallographic Structure of Dienelactone Hydrolase at 2·8 Å 435

Stern, S., Weiser, B. and Noller, H. F., Model for the Three-dimensional Folding of 16 S Ribosomal RNA 447

Letters to the Editor

Weber, P. L., Morrison, R. and Hare, D., Determining Stereo-specific ^{1}H Nuclear Magnetic Resonance Assignments from Distance Geometry Calculations . . . 483

Sieker, L. C., Turley, S., Le Trong, I., Stenkamp, R. E., Weller, P. F. and Ackerman, S. J., Crystallographic Characterization of Human Eosinophil Charcot-Leyden Crystals 489

Tolley, S. P., Derewenda, Z., Hyde, S. C., Higgins, C. F. and Wilkinson, A. J., Crystallization of the Periplasmic Oligopeptide-binding Protein of *Salmonella typhimurium* 493

Allen, J. P., Crystallization and Preliminary X-ray Diffraction Analysis of Cytochrome c_2 from *Rhodobacter sphaeroides* 495

Number 3, 5 December 1988

Nabeshima, Y.-i., Nabeshima, Y., Kawashima, M., Nakamura, S., Nonomura, Y. and Fujii-Kuriyama, Y., Isolation of the Chick Myosin Alkali Light Chain Gene Expressed in Embryonic Gizzard Muscle and Transitional Expression of the Light Chain Gene Family *in Vivo* 497

Leffers, H., Egebjerg, J., Andersen, A., Christensen, T. and Garrett, R. A., Domain VI of *Escherichia coli* 23 S Ribosomal RNA. Structure, Assembly and Function . . 507

Flavell, R. B., O'Dell, M. and Thompson, W. F., Regulation of Cytosine Methylation in Ribosomal DNA and Nucleolus Organizer Expression in Wheat 523

Thompson, W. F. and Flavell, R. B., DNase I Sensitivity of Ribosomal RNA Genes in Chromatin and Nucleolar Dominance in Wheat 535

Bettler, B., Ness, P. J., Schmidlin, S. and Parish, R. W., The Upstream Limit of Nuclease-sensitive Chromatin in *Dictyostelium* rRNA Gene Neighbors a Topoisomerase I-like Cluster 549

Kohalmi, S. E. and Kunz, B. A., Role of Neighbouring Bases and Assessment of Strand Specificity in Ethylmethanesulphonate and *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine Mutagenesis in the *SUP4*-o Gene of *Saccharomyces cerevisiae* 561

Smith, C. P. and Chater, K. F., Structure and Regulation of Controlling Sequences for the *Streptomyces coelicolor* Glycerol Operon 569

Wada, M., Kano, Y., Ogawa, T., Okazaki, T. and Imamoto, F., Construction and Characterization of the Deletion Mutant of *hupA* and *hupB* genes in *Escherichia coli* . 581

Passmore, S., Maine, G. T., Elble, R., Christ, C. and Tye, B.-K., *Saccharomyces cerevisiae* Protein Involved in Plasmid Maintenance is Necessary for Mating of *MAT*α Cells 593

Villafane, R. and King, J., Nature and Distribution of Sites of Temperature-sensitive Folding Mutations in the Gene for the P22 Tailspike Polypeptide Chain . . . 607

Bullard, B., Leonard, K., Larkins, A., Butcher, G., Karlik, C. and Fyrberg, E., Troponin of Asynchronous Flight Muscle 621

Kajiyama, H., Shape of the Myosin Head in the Rigor Complex. Three-dimensional Image Reconstruction of the Actin–Tropomyosin–Heavy Meromyosin Complex . . . 639

Suzuki, M. and Wakabayashi, T., Packaging of DNA in Cricket Sperm. A Compact Mode of DNA Packaging 653

Rowitch, D. H., Hunter, G. J. and Perham, R. N., Variable Electrostatic Interaction Between DNA and Coat Protein in Filamentous Bacteriophage Assembly . . . 663

Kline, A. D., Braun, W. and Wüthrich, K., Determination of the Complete Three-dimensional Structure of the α-Amylase Inhibitor Tendamistat in Aqueous Solution by Nuclear Magnetic Resonance and Distance Geometry 675

Ke, H., Lipscomb, W. N., Cho, Y. and Honzatko, R. B., Complex of *N*-Phosphonacetyl-L-aspartate with Aspartate Carbamoyltransferase. X-ray Refinement, Analysis of Conformational Changes and Catalytic and Allosteric Mechanisms . 725

Murzin, A. G. and Finkelstein, A. V., General Architecture of the α-Helical Globule . 749

Letters to the Editor

Villaverde, A., Martínez-Salas, E. and Domingo, E., 3D Gene of Foot-and-mouth Disease Virus. Conservation by Convergence of Average Sequences . . . 771

Milner-White, E. J., Ross, B. M., Ismail, R., Belhadj-Mostefa, K. and Poet, R., One Type of Gamma-turn, Rather Than the Other Gives Rise to Chain-reversal in Proteins 777

Jacobson, B. L. and Quiocho, F. A., Sulfate-binding Protein Dislikes Protonated Oxyacids. A Molecular Explanation 783

Holberton, D., Baker, D. A. and Marshall, J., Segmented α-Helical Coiled-coil Structure of the Protein Giardin from the *Giardia* Cytoskeleton 789

Hirose, K. and Wakabayashi, T., Thin Filaments of Rabbit Skeletal Muscle are in Helical Register 797

Betzel, C., Dauter, Z., Dauter, M., Ingelman, M., Papendorf, G., Wilson, K. S. and Branner, S., Crystallization and Preliminary X-ray Diffraction Studies of an Alkaline Protease from *Bacillus lentus* 803

Number 4, 20 December 1988

De Lucchini, S., Andronico, F., Andreazzoli, M., Giuliani, M., Savino, R. and Nardi, I., Extra-ribosomal Spacer Sequences in *Triturus* 805

Cummings, D. J. and Domenico, J. M., Sequence Analysis of Mitochondrial DNA from *Podospora anserina*. Pervasiveness of a Class I Intron in Three Separate Genes . . 815

Rieger, M. and Franke, W. W., Identification of an Orthologous Mammalian Cytokeratin Gene. High Degree of Intron Sequence Conservation During Evolution of Human Cytokeratin 10 841

Roovers, M., Charlier, D., Feller, A., Gigot, D., Holemans, F., Lissens, W., Piérard, A. and Glansdorff, N., *carP*, a Novel Gene Regulating the Transcription of the Carbamoylphosphate Synthetase Operon of *Escherichia coli* 857

Charlier, D., Weyens, G., Roovers, M., Piette, J., Bocquet, C., Piérard, A. and Glansdorff, N., Molecular Interactions in the Control Region of the *carAB* Operon Encoding *Escherichia coli* Carbamoylphosphate Synthetase 867

Kirsebom, L. A., Baer, M. F. and Altman, S., Differential Effects of Mutations in the Protein and RNA Moieties of RNase P on the Efficiency of Suppression by Various tRNA Suppressors. 879

Cooney, C. A., Eykholt, R. L. and Bradbury, E. M., Methylation is Co-ordinated on the Putative Replication Origins of *Physarum* Ribosomal DNA 889

Rabkin, S. D. and Richardson, C. C., Initiation of DNA Replication at Cloned Origins of Bacteriophage T7 903

Szankasi, P., Heyer, W.-D., Schuchert, P. and Kohli, J., DNA Sequence Analysis of the *ade6* Gene of *Schizosaccharomyces pombe*. Wild-type and Mutant Alleles Including the Recombination Hot Spot Allele *ade6-M26* 917

Beckett, D. and Uhlenbeck, O. C., Ribonucleoprotein Complexes of R17 Coat Protein and a Translational Operator Analog 927

Beckett, D., Wu, H.-N. and Uhlenbeck, O. C., Roles of Operator and Non-operator RNA Sequences in Bacteriophage R17 Capsid Assembly 939

Gale, J. M. and Smerdon, M. J., Photofootprint of Nucleosome Core DNA in Intact Chromatin Having Different Structural States 949

Brenner, S. L., Zlotnick, A. and Griffith, J. D., RecA Protein Self-assembly. Multiple Discrete Aggregation States 959

Shirakihara, Y. and Evans, P. R., Crystal Structure of the Complex of Phosphofructokinase from *Escherichia coli* With its Reaction Products 973

Padilla, A., Cavé, A. and Parello, J., Two-dimensional ^{1}H Nuclear Magnetic Resonance Study of Pike pI 5·0 Parvalbumin *(Esox lucius)*. Sequential Resonance Assignments and Folding of the Polypeptide Chain 995

Risler, J. L., Delorme, M. O., Delacroix, H. and Henaut, A., Amino Acid Substitutions in Structurally Related Proteins. A Pattern Recognition Approach. Determination of a New and Efficient Scoring Matrix 1019

Gallinaro, H., Vincendon, P., Sittler, A. and Jacob, M., Alternative use of a Polyadenylation Signal and of a Downstream 3′ Splice Site. Effect of 5,6-Dichloro-1-β-D-Ribofuranosylbenzimidazole 1031

Letters to the Editor

Wigley, D. B., Muirhead, H., Gamblin, S. J. and Holbrook, J. J., Crystallization of a Ternary Complex of Lactate Dehydrogenase from *Bacillus stearothermophilus* . 1041

Weyens, G., Charlier, D., Roovers, M., Piérard, A. and Glansdorff, N., On the Role of the Shine–Dalgarno Sequence in Determining the Efficiency of Translation Initiation at a Weak Start Codon in the *car* Operon of *Escherichia coli* K12 . . 1045

Lloubès, R., Granger-Schnarr, M., Lazdunski, C. and Schnarr, M., LexA Repressor Induces Operator-dependent DNA Bending 1049

Yamagata, Y., Odawara, K., Tomita, K.-i., Nakabeppu, Y. and Sekiguchi, M., Crystallization and Preliminary X-ray Diffraction Studies of 3-Methyladenine–DNA Glycosylase II from *Escherichia coli* 1055

Index to Volume 204

Ackerman, S. J. (see also Sieker, L. C.), 489
Actin–tropomyosin–heavy meromyosin complex, three-dimensional image reconstruction, 639
ade6 gene of *Schizosaccharomyces pombe*, DNA sequence analysis, 917
Adjacent inverted repeat sequences, and duplications, 27
Aggregation states, multiple, of RecA protein, 959
Akins, R. A., Grant, D. M., Stohl, L. L., Bottorff, D. A., Nargang, F. E. & Lambowitz, A. M., Nucleotide sequence of the Varkud mitochondrial plasmid of *Neurospora* and synthesis of a hybrid transcript with a 5′ leader derived from mitochondrial RNA, 1
Allen, J. P., Crystallization and preliminary X-ray diffraction analysis of cytochrome c_2 from *Rhodobacter sphaeroides*, 495
Allosteric mechanisms; complex of PALA with aspartate carbamoyltransferase, 725
Altman, S. (see also Kirsebom, L. A.), 879
Amemiya, Y. (see also Hiragi, Y.), 129
Amino acid substitutions in structurally related proteins; a pattern recognition approach, 1019
Andersen, A. (see also Leffers, H.), 507
Andreazzoli, M. (see also de Lucchini, S.), 805
Andronico, F. (see also de Lucchini, S.), 805
Antitermination phenotypes of *rpoB* rifampicin resistant mutants, 247
Aragay, A. M., Diaz, P. & Daban, J.-R., Association of nucleosome core particle DNA with different histone oligomers. Transfer of histones between DNA–(H2A, H2B) and DNA–(H3, H4) complexes, 141
Architecture of the α-helical globule, 749
aroH, *trpEDCBA* and *trpR* promoters, comparison using a promoter-strength measuring system, 41
Aspartate carbamoyltransferase complex with *N*-phosphonacetyl-L-aspartate; X-ray refinement, analysis of conformational changes and catalytic and allosteric mechanisms, 725
Assembly, capsid, R17, roles of operator and non-operator RNA sequences, 939
Assembly of domain VI of *E. coli* 23 S rRNA, 507
Assembly, filamentous bacteriophage; variable electrostatic interaction between DNA and coat protein, 663

Babu, Y. S., Bugg, C. E. & Cook, W. J., Structure of calmodulin refined at 2·2 Å resolution, 191
Bacillus lentus, crystallization and X-ray diffraction studies of an alkaline protease, 803
Bacillus stearothermophilus, crystallization of a ternary complex of lactate dehydrogenase, 1041
Bacteriophage, filamentous, assembly; variable electrostatic interaction between DNA and coat protein, 663
Bacteriophage lambda site-specific recombination proceeds with a defined order of strand exchanges, 95
Bacteriophage R17 capsid assembly, roles of operator and non-operator RNA sequences, 939
Bacteriophage T4 gene *32* protein, complex with poly(I, N^6-ethenoadenylic acid); linear dichroism, 397
Bacteriophage T7, initiation of DNA replication at cloned origins, 903
Baer, M. F. (see also Kirsebom, L. A.), 879
Baker, D. A. (see also Holberton, D.), 789
Bartlett, P. A. (see also Hoeffken, H. W.), 417
Beatty, L. G. & Sadowski, P. D., The mechanism of loading of the FLP recombinase onto its DNA target sequence, 283
Beckett, D. & Uhlenbeck, D. C., Ribonucleoprotein complexes of R17 coat protein and translational operator analog, 927
Beckett, D., Wu, H.-N. & Uhlenbeck, O. C., Roles of operator and non-operator RNA sequences in bacteriophage R17 capsid assembly, 939
Belhadj-Mostefa, K. (see also Milner-White, E. J.), 777
Bettler, B., Ness, P. J., Schmidlin, S. & Parish, R. W., The upstream limit of nuclease-sensitive chromatin in *Dictyostelium* rRNA gene neighbors a topoisomerase I-like cluster, 549
Betzel, C., Dauter, Z., Dauter, M., Ingelman, M., Papendorf, G., Wilson, K. S. & Branner, S., Crystallization and preliminary X-ray diffraction studies of an alkaline protease from *Bacillus lentus*. 803
Bocquet, C. (see also Charlier, D.), 867
Bottorff, D. A. (see also Akins, R. A.), 1
Bugg, C. E. (see also Babu, Y. S.), 191
Bullard, B., Leonard, K., Larkins, A., Butcher, G., Karlik, C. & Fyrberg, E., Troponin of asynchronous flight muscle, 621
Butcher, G. (see also Bullard, B.), 621
Bradbury, E. M. (see also Cooney, C. A.), 889
Branner, S. (see also Betzel, C.), 803
Braun, W. (see also Kline, A. D.), 675
Brenner, S. L., Zlotnick, A. & Griffith, J. D., RecA protein self-assembly. Multiple discrete aggregation states, 959

*c*I repressor, ϕ80, stimulation of RecA-mediated cleavage by deoxydinucleotides, 69
*c*I repressor, ϕ80, and cleavage by RecA protein, 61
Cahill, P. B. F. (see also Gregory, R. J.), 295
Calmodulin structure refined at 2·2 Å resolution, 191
Capsid, assembly, R17, roles of operator and non-operator RNA sequences, 939
car operon of *E. coli* K12, the role of the Shine–Dalgarno sequence in determining the efficiency of translation initiation at a weak start codon, 1045
carAB operon encoding *E. coli* carbamoylphosphate synthetase, molecular interactions in the control region, 867
Carbamoylphosphate synthetase, *E. coli*; molecular interactions in the control region of the *carAB* operon, 867
carP, a novel gene regulating the transcription of the carbamoylphosphate synthetase operon of *E. coli*, 857
Cashel, M. (see also Jin, D. J.), 247
Catalytic mechanisms; complex of PALA with aspartate carbamoyltransferase, 725
Cavé, A. (see also Padilla, A.), 995
Cenatiempo, Y. (see also Nègre, D.), 213
Cerretti, D. P., Mattheakis, L. C., Kearney, K. R., Vu, L. & Nomura, M., Translational regulation of the *spc* operon in *Escherichia coli*. Identification and structural analysis of the target site for S8 repressor protein, 309
Chain-reversal in proteins, and types of gamma-turn, 777
Charcot-Leyden crystals of human eosinophil; crystallographic characterization, 489
Charlier, D., Weyens, G., Roovers, M., Piette, J., Bocquet, C., Piérard, A. & Glansdorff, N., Molecular interactions in the control region of the *carAB* operon encoding *Escherichia coli* carbamoylphosphate synthetase, 867
Charlier, D. (see also Roovers, M.), 857
Charlier, D. (see also Weyens, G.), 1045
Chater, K. F. (see also Smith, C. P.), 569
Chen, Y.-M. (see also McClain, W. H.), 38
Chick myosin alkali light chain gene expressed in embryonic gizzard muscle; isolation, 497
Cho, K.-O. & Yanofsky, C., Development of a *trpE* promoter-strength measuring system and its use in comparison of the *trpEDCBA*, *trpR* and *aroH* promoters, 41
Cho, K.-O. & Yanofsky, C., Sequence changes preceding a Shine–Dalgarno region influence *trpE* mRNA translation and decay, 51
Cho, Y. (see also Ke, H.), 725
Chothia, C. (see also Janin, J.), 155
Christ, C. (see also Passmore, S.), 593
Christensen, T. (see also Leffers, H.), 507
Chromatin, DNase I sensitivity of rRNA genes; nucleolar dominance on wheat, 535
Chromatin, nuclease-sensitive, the upstream limit in *Dictyostelium* rRNA genes neighbors a topoisomerase I-like cluster, 549
Chromatin, photofootprint of nucleosome core DNA, 949
Chromosomal fragment, murine, containing the interferon β gene; structure and characterization, 221

Claret, F.-X. (see also Ten Heggeler-Bordier, B.), 217
Cleavage of phage $\phi 80$ *c*I repressor by *E. coli* RecA protein, 61
Cleavage, RecA-mediated, of phage $\phi 80$ *c*I repressor; stimulation by deoxydinucleotides, 69
Cloned origins of bacteriophage T7; initiation of DNA replication, 903
Coat protein, R17; ribonucleoprotein complexes with translational operator analog, 927
Coat protein, variable electrostatic interaction with DNA, in filamentous bacteriophage assembly, 663
Cook, W. J. (see also Babu, Y. S.), 191
Cooney, C. A., Eykholt, R. L. & Bradbury, E. M., Methylation is co-ordinated on the putative replication origins of *Physarum* ribosomal DNA, 889
Coulombel, C. (see also Vodjdani, G.), 221
Cozzone, A. J. (see also Nègre, D.), 213
Creatine amidinohydrolase from *Pseudomonas putida*, crystal structure and molecular model, 417
Creusot, F., Verdière, J., Gaisne, M. & Slonimski, P. P., CYP1 (HAP1) regulator of oxygen-dependent gene expression in yeast. I. Overall organization of the protein sequence displays several novel structural domains, 263
Cricket sperm, DNA packaging, 653
Crossbridge forms, non-rigor, in insect flight muscle, 357
Crystal structure determination, refinement and molecular model of creatine amidinohydrolase from *Pseudomonas putida*, 417
Crystallization of the periplasmic oligopeptide-binding protein of *Salmonella typhimurium*, 493
Crystallization of ternary complex of lactate dehydrogenase from *Bacillus stearothermophilus*, 1041
Crystallization and X-ray diffraction studies of an alkaline protease from *Bacillus lentus*, 803
Crystallization and X-ray diffraction analysis of cytochrome c_2 from *Rhodobacter sphaeroides*, 495
Crystallization and X-ray diffraction studies of 3-methyladenine-DNA glycosylase II from *E. coli*, 1055
Crystallographic characterization of human eosinophil Charcot-Leyden crystals, 489
Crystallographic study of a retroviral protease, 211
Cubic phases of lipid-containing systems; structure analysis and biological implications, 165
Cummings, D. J. & Domenico, J. M., Sequence analysis of mitochondrial DNA from *Podospora anserina*. Pervasiveness of a class I intron in three separate genes, 815
CYP1 (HAP1) regulator of oxygen-dependent gene expression in yeast. Missense mutation suggests alternative Zn fingers as discriminating agents of gene control, 277
CYP1 (HAP1) regulator of oxygen-dependent gene expression in yeast. Overall organization of the protein sequence displays several novel structural domains, 263
Cytochrome c_2 from *Rhodobacter sphaeroides*, crystallization and X-ray diffraction analysis, 495
Cytokeratin 10, human, high degree of intron sequence conservation during evolution, 841
Cytosine methylation regulation in rDNA and nucleolus organizer expression in wheat, 523

Daban, J.-R. (see also Aragay, A. M.), 141
Dauter, M. (see also Betzel, C.), 803
Dauter, Z. (see also Betzel, C.), 803
DeFranoux, N. (see also Verdière, J.), 277
DeLacroix, H. (see also Mariani, P.), 165
DeLacroix, H. (see also Risler, J. L.), 1019
Deletion mutant of *hupA* and *hupB* genes in *E. coli*, construction and characterization, 581
DeLorme, M. O. (see Risler, J. L.), 1019
De Lucchini, S., Andronico, F., Andreazzoli, M., Giuliani, M., Savino, R. & Nardi, I., Extra-ribosomal spacer sequences in *Triturus*, 805
Deoxydinucleotide stimulation of RecA-mediated cleavage of phage $\phi 80$ *c*I repressor, 69
DNA bending, operator-dependent, induced by LexA repressor, 1049
DNA helicase I and *oriT* site-specific nicking are both functions of the F TraI protein, 205
DNA, mitochondrial, from *Podospora anserina*, sequence analysis; pervasiveness of a class I intron in three separate genes, 815
DNA, nucleosome core, in intact chromatin; photofootprint, 949
DNA, nucleosome core particle, association with different histone oligomers, 141
DNA packaging in cricket sperm, 653
DNA replication initiation at cloned origins of bacteriophage T7, 903
DNA, ribosomal, *Physarum*, methylation is co-ordinated on the putative replication origins, 889
DNA, ribosomal, regulation of cytosine methylation, and nucleolus organizer expression in wheat, 523
DNA sequence analysis of the *ade6* gene of *Schizosaccharomyces pombe*, 917
DNA structure containing adjacent inverted repeat sequences, and fostering a specific duplications, 27
DNA target sequence, and mechanism of loading of FLP recombinase, 283
DNA, variable electrostatic interaction with coat protein, in filamentous bacteriophage assembly, 663
DNase I sensitivity of rRNA genes in chromatin and nucleolar dominance in wheat, 535
Derewenda, Z. (see also Tolley, S. P.), 493
Diaz, P. (see also Aragay, A. M.), 141
5,6-Dichloro-1-β-D-ribofuranosylbenzimidazole, and alternative use of a polyadenylation signal and of a downstream 3′ splice site, 1031
Dictyostelium rRNA genes, the upstream limit of nuclease-sensitive chromatin neighbors a topoisomerase I-like cluster, 549
Dienelactone hydrolase, X-ray crystallographic structure at 2·8 Å, 435
Doly, J. (see also Vodjdani, G.), 221
Domenico, J. M. (see also Cummings, D. J.), 815
Domingo, E. (see also Villaverde, A.), 771
Drosophila retrotransposon: micropia, 233
Dreyfus, M., What constitutes the signal for the initiation of protein synthesis on *Escherichia coli* mRNAs?, 79
Duplications fostered by a DNA structure containing adjacent inverted repeat sequences, 27

Egebjerg, J. (see also Leffers, H.), 507
Eguchi, Y., Ogawa, T. & Ogawa, H., Stimulation of RecA-mediated cleavage of phage $\phi 80$ *c*I repressor by deoxydinucleotides, 69
Eguchi, Y., Ogawa, T. & Ogawa, H., Two forms of RecA-single-stranded DNA-adenosine 5′-*O*-(3-thiotriphosphate) complexes with different activities for cleavage of phage $\phi 80$ *c*I repressor, 61
Elble, R. (see also Passmore, S.), 593
Electron transfer reactivity, and three-dimensional model of stellacyanin, 407
Electrostatic interaction between DNA and coat protein in filamentous bacteriophage assembly, 663
Embryonic chick myosin alkali light chain gene; isolation and characterization, 497
Entropy and "best" maps, 188
Eosinophil Charcot-Leyden crystals; crystallographic characterization, 489
Escherichia coli carbamoylphosphate synthetase; molecular interactions in the control region of the *carAB* operon, 867
Escherichia coli; *carP*, a novel gene regulating the transcription of the carbamoylphosphate synthetase operon, 857
Escherichia coli, construction and characterization of the deletion mutant of *hupA* and *hupB* genes, 581
Escherichia coli, crystal structure of the complex of phosphofructokinase with its reaction products, 973
Escherichia coli mRNAs; what constitutes the signal for initiation of protein synthesis?, 79
Escherichia coli RecA protein, and cleavage of phage $\phi 80$ *c*I repressor, 61
Escherichia coli ribosomal protein S8, interaction with its binding sites in rRNA and mRNA, 295
Escherichia coli 23 S ribosomal RNA, domain VI; structure, assembly and function, 507

Escherichia coli, effects of rifampicin resistant *rpoB* mutations on antitermination and interaction with *nusA*, 247
Escherichia coli, stimulation of RecA-mediated cleavage of phage $\phi 80$ cI repressor by deoxydinucleotides, 69
Escherichia coli, translational regulation of the *spc* operon; identification and structural analysis of the target site for S8 repressor protein, 309
Escherichia coli K12, role of the Shine–Dalgarno sequence in determining the efficiency of translation initiation at a weak start codon in the *car* operon, 1045
Esox lucius, two-dimensional ^{1}H n.m.r. study of pI 5·0 parvalbumin, 995
Estrogen receptor–DNA complexes, immuno-electron microscopic identification at the estrogen-responsive element and in the first intron of a *Xenopus* vitellogenin gene, 217
Ethylmethanesulphonate and *N*-methyl-*N'*-nitro-*N*-nitroso-guanidine mutagenesis in the *SUP4*-o gene of *Saccharomyces cerevisiae*, role of neighbouring bases and assessment of strand specificity, 561
Evans, P. R. (see also Shirakihara, Y.), 973
Evolution of human cytokeratin 10, high degree of intron sequence conservation, 841
Extra-ribosomal spacer sequences in *Triturus*, 805
Eykholt, R. L. (see also Cooney, C. A.), 889

F TraI protein, evidence that both DNA helicase I and *oriT* site-specific nicking are both functions, 205
Fan, Y.-l. (see also Min, Y.-n.), 345
Farver, D. (see also Wherland, S.), 407
Fedor, M. J., Lue, N. F. & Kornberg, R. D., Statistical positioning of nucleosomes by specific protein-binding to an upstream activating sequence in yeast, 109
Feller, A. (see also Roovers, M.), 857
Filamentous bacteriophage assembly, variable electrostatic interaction between DNA and coat protein, 663
Filaments, thin, of rabbit skeletal muscle are in helical register, 797
Finkelstein, A. V. (see also Murzin, A. G.), 749
Flavell, R. B., O'Dell, M. & Thompson, W. F., Regulation of cytosine methylation in ribosomal DNA and nucleolus organizer expression in wheat, 523
Flavell, R. B. (see also Thompson, W. F.), 535
Flight, asynchronous, muscle; troponin, 621
Flight muscle, insect; two attached non-rigor crossbridge forms, 357
FLP recombinase, mechanism of loading onto its DNA target sequence, 283
Folding of an α parvalbumin by two-dimensional ^{1}H n.m.r., 995
Folding model, three-dimensional, of 16 S rRNA, 447
Folding mutations, temperature-sensitive, in the gene for the P22 tailspike polypeptide chain; nature and distribution of sites, 607
Foot-and-mouth disease virus, 3D gene; conservation by convergence of average sequence, 771
Franke, W. W. (see also Rieger, M.), 841
Friedman, D. I. (see also Jin, D. J.), 247
Fujii-Kuriyama, Y. (see also Nabeshima, Y.-i.), 497
Fyrberg, E. (see also Bullard, B.), 621

Gaisne, M. (see also Creusot, F.), 263
Gaisne, M. (see also Verdière, J.), 277
Gale, J. M. & Smerdon, M. J., Photofootprint of nucleosome core DNA in intact chromatin having different structural states, 949
Gallinaro, H., Vincendon, P., Sittler, A. & Jacob, M., Alternative use of a polyadenylation signal and of a downstream 3′ splice site. Effect of 5,6-dichloro-1-β-D-ribofuranosylbenzimidazole, 1031
Gamblin, S. J. (see also Wigley, D. B.), 1041
Gamma-turn: one type, rather than the other, gives rise to chain-reversal in proteins, 777
Garrett, R. A. (see also Leffers, H.), 507
Gene for the P22 tailspike polypeptide chain, nature and distribution of sites of temperature-sensitive folding mutations, 607
Gene *32* protein of bacteriophage T4, complex with poly(1,N^6-ethenoadenylic acid); linear dichroism, 397
Giardin protein from the *Giardia* cytoskeleton, segmented α-helical coiled-coil structure, 789
Gigot, D. (see also Roovers, M.), 857
Giuliani, M. (see also de Lucchini, S.), 805
Glansdorff, N. (see also Charlier, D.), 867
Glansdorff, N. (see also Roovers, M.), 857
Glansdorff, N. (see also Weyens, G.), 1045
Glycerol operon, *Streptomyces coelicolor*, structure and regulation of controlling sequences, 569
Granger-Schnarr, M. (see also Lloubès, R.), 1049
Grant, D. M. (see also Akins, R. A.), 1
Gregory, R. J., Cahill, P. B. F., Thurlow, D. L. & Zimmermann, R. A., Interaction of *Escherichia coli* ribosomal protein S8 with its binding sites in ribosomal RNA and messenger RNA, 295
Griffith, J. D. (see also Brenner, S. L.), 959
Gross, C. A. (see also Jin, D. J.), 247
Guiard, B. (see also Verdière, J.), 277

Hare, D. (see also Weber, P. L.), 483
α-Helical globule, general architecture, 749
Helical register of thin filaments of rabbit skeletal muscle, 797
Hemocyanins in spiders. Range of allosteric interaction in a four-hexamer hemocyanin. Co-operativity and Bohr effect in dissociation intermediates, 385
Henaut, A. (see also Risler, J. L.), 1019
Hennig, W. (see also Lankenau, D.-H.), 233
Heyer, W.-D. (see also Szankasi, P.), 917
Higgins, C. F. (see also Tolley, S. P.), 493
Hiragi, Y., Inoue, H., Sano, Y., Kajiwara, K., Ueki, T., Kataoka, M., Tagawa, H., Izumi, Y., Muroga, Y. & Amemiya, Y., Temperature dependence of the structure of aggregates of tobacco mosaic virus protein at pH 7·2. Static synchrotron small-angle X-ray scattering, 129
Hirose, K. & Wakabayashi, T., Thin filaments of rabbit skeletal muscle are in helical register, 797
Histone transfer between DNA–(H2A, H2B) and DNA–(H3, H4) complexes, 141
Hoeffken, H. W., Knof, S. H., Bartlett, P. A., Huber, R., Moellering, H. & Schumacher, G., Crystal structure determination, refinement and molecular model of creatine amidinohydrolase from *Pseudomonas putida*, 417
Holberton, D., Baker, D. A. & Marshall, J., Segmented α-helical coiled-coil structure of the protein giardin from the *Giardia* cytoskeleton, 789
Holbrook, J. J. (see also Wigley, D. B.), 1041
Holemans, F. (see also Roovers, M.), 857
Honzatko, R. B. (see also Ke, H.), 725
Huber, R. (see also Hoeffken, H. W.), 417
Huijser, P. (see also Lankenau, D.-H.), 233
Hunter, G. J. (see also Rowitch, D. H.), 663
hupA and *hupB* genes in *Escherichia coli*, construction and characterization of the deletion mutant, 581
Hyde, S. C. (see also Tolley, S. P.), 493
^{1}H n.m.r. assignments, stereo-specific; determination from distance geometry calculations, 483
^{1}H n.m.r. two-dimensional study of pike pI 5·0 parvalbumin (*Esox lucius*), 995

Imamoto, F. (see also Wada, M.), 581
Immuno-electron microscopic identification of human estrogen receptor–DNA complexes at the estrogen-responsive element and in the first intron of a *Xenopus* vitellogenin gene, 217
IncFII plasmid NR1, complementation of mutants of the stability locus; essential functions of the *trans*-acting *stbA* and *stbB* gene products, 345
Ingelman, M. (see also Betzel, C.), 803
Inoue, H. (see also Hiragi, Y.), 129
Insect flight muscle, two attached non-rigor forms, 357
Interferon β gene; structure and characterization of a murine chromosomal fragment, 221
Intron, class I, pervasiveness in three separate genes; sequence analysis of mitochondrial DNA from *Podospora anserina*, 815

Intron sequence conservation during evolution of human cytokeratin 10, 841
Ismail, R. (see also Milner-White, E. J.), 777
Izumi, T. (see also Hiragi, Y.), 129

Jacob, M. (see also Gallinaro, H.), 1031
Jacobson, B. L. & Quiocho, F. A., Sulfate-binding protein dislikes protonated oxyacids. A molecular explanation, 783
Janin, J., Miller, S. & Chothia, C., Surface, subunit interfaces and interior of oligomeric proteins, 155
Jansen, E. (see also Lankenau, D.-H.), 233
Jin, D. J., Cashel, M., Friedman, D. I., Nakamura, Y., Walter, W. A. & Gross, C. A., Effects of rifampicin resistant *rpoB* mutations on antitermination and interaction with *nusA* in *Escherichia coli*, 247

Kajiwara, K. (see also Hiragi, Y.), 129
Kajiyama, H., Shape of the myosin head in the rigor complex. Three-dimensional image reconstruction of the actin–tropomyosin–heavy meromyosin complex, 639
Kano, Y. (see also Wada, M.), 581
Karlik, C. (see also Bullard, B.), 621
Kataoka, M. (see also Hiragi, Y.), 129
Kawai, Y. (see also Miyazaki, C.), 331
Kawashima, M. (see also Nabeshima, Y.-i.), 497
Ke, H., Lipscomb, W. N., Cho, Y. & Honzatko, R. B., Complex of *N*-phosphonacetyl-L-aspartate with aspartate carbamoyltransferase. X-ray refinement, analysis of conformational changes and catalytic and allosteric mechanisms, 725
Kearney, K. R. (see also Cerretti, D. P.), 309
King, J. (see also Villefane, R.), 607
Kirsebom, L. A., Baer, M. F. & Altman, S., Differential effects of mutations in the protein and RNA moieties of RNase P on the efficiency of suppression by various tRNA suppressors, 879
Kitts, P. A. & Nash, H. A., Bacteriophage lambda site-specific recombination proceeds with a defined order of strand exchanges, 95
Kline, A. D., Braun, W. & Wüthrich, K., Determination of the complete three-dimensional structure of the α-amylase inhibitor Tendamistat in aqueous solution by nuclear magnetic resonance and distance geometry, 675
Knof, S. H. (see also Hoeffken, H. W.), 417
Kohalmi, S. E. & Kunz, B. A., Role of neighbouring bases and assessment of strand specificity in ethylmethanesulphonate and *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine mutagenesis in the *SUP4*-o gene of *Saccharomyces cerevisiae*, 561
Kohli, J. (see also Szankasi, P.), 917
Kornberg, R. D. (see also Fedor, M. J.), 109
Kuil, M. E. (see also van Amerongen, H.), 397
Kunz, B. A. (see also Kohalmi, S. E.), 561

L24/L5 intercistronic region of *Proteus vulgaris*, *Serratia marcescens* and *Salmonella typhimurium*; nucleotide sequences, 326
Lactate dehydrogenase from *Bacillus stearothermophilus*, crystallization of a ternary complex, 1041
λ (see also Bacteriophage), 95
Lambowitz, A. M. (see also Akins, R. A.), 1
Lankenau, D.-H., Huijser, P., Jansen, E., Miedema, K. & Hennig, W., Micropia: a retrotransposon of *Drosophila* combining structural features of DNA viruses, retroviruses and non-viral transposable elements, 233
Larkins, A. (see also Bullard, B.), 621
Lazdunski, C. (see also Lloubès, R.), 1049
Leffers, H., Egebjerg, J., Andersen, A., Christensen, T. & Garrett, R. A., Domain VI of *Escherichia coli* 23 S ribosomal RNA. Structure, assembly and function, 507
Leis, J. (see also Miller, M.), 211
Leonard, K. (see also Bullard, B.), 621
Le Trong, I. (see also Sieker, L. C.), 489
LexA repressor induces operator-dependent DNA bending, 1049
Linear dichroism of the complex between the gene *32* protein of bacteriophage T4 and poly(1,N^6-ethenoadenylic acid), 397
Linzen, B. (see also Savel-Niemann, A.), 385
Lipid-containing systems, cubic phases; structure analysis and biological implications, 165
Lipscomb, W. N. (see also Ke, H.), 725
Lissens, W. (see also Roovers, M.), 857
Lloubès, R., Granger-Schnarr, M., Lazdunski, C. & Schnarr, M., LexA repressor induces operator-dependent DNA bending, 1049
Lue, N. F. (see also Fedor, M. J.), 109
Luzzati, V. (see also Mariani, P.), 165

McClain, W. H., Specific duplications fostered by a DNA structure containing adjacent inverted repeat sequences, 27
McClain, W. H. & Chen, Y.-M., More duplication *via* adjacent inverted repeat sequences (*Appendix* to McClain, W. H., 27), 38
Maine, G. T. (see also Passmore, S.), 593
Mammalian cytokeratin gene, orthologous; intron sequence conservation during evolution of human cytokeratin 10, 841
Mariani, P., Luzzati, V. & DeLacroix, H., Cubic phases of lipid-containing systems. Structure analysis and biological implications, 165
Markl, J. (see also Savel-Niemann, A.), 385
Marshall, J. (see also Holberton, D.), 789
Martínez-Salas, E. (see also Villaverde, A.), 771
MATα cells, *Saccharomyces cerevisiae* protein involved in plasmid maintenance is necessary for mating, 593
Mattheakis, L. C., Vu, L. & Nomura, M., Nucleotide sequences of the L24/L5 intercistronic region of *Proteus vulgaris*, *Serratia marcescens* and *Salmonella typhimurium* (*Appendix* to Cerretti, D. R. *et al.*, 309), 326
Mattheakis, L. C. (see also Cerretti, D. P.), 309
Messenger RNAs, *E. coli*; what constitutes the signal for the initiation of protein synthesis?, 79
Messenger RNA, *trpE*, translation and decay are influenced by sequence changes preceding a Shine–Dalgarno region, 51
3-Methyladenine-DNA glycosylase II from *E. coli*, crystallization and X-ray diffraction studies, 1055
Methylation is co-ordinated on the putative replication origins of *Physarum* ribosomal DNA, 889
Micropia: a retrotransposon of *Drosophila* combining structural features of DNA viruses, retroviruses and non-viral transposable elements, 233
Miedema, K. (see also Lankenau, D.-H.), 233
Miller, M., Leis, J. & Wlodawer, A., Preliminary crystallographic study of a retroviral protease, 211
Miller, S. (see also Janin, J.), 155
Milner-White, E. J., Ross, B. M., Ismail, R., Belhadj-Mostefa, K. & Poet, R., One type of gamma-turn, rather than the other gives rise to chain-reversal in proteins, 777
Min, Y.-n., Tabuchi, A., Fan, Y.L., Womble, D. D. & Rownd, R. H., Complementation of mutants of the stability locus of IncFII plasmid NR1. Essential functions of the *trans*-acting *stabA* and *stbB* gene products, 345
Minkley, E. G. Jr (see also Traxler, B. A.), 205
Misreading induced by streptomycin *in vitro*; differential pattern, 213
Mitochondrial DNA from *Podospora anserina*, sequence analysis; pervasiveness of a class I intron in three separate genes, 815
Mitochondrial plasmid, Varkud, of *Neurospora*, nucleotide sequence, and synthesis of a hybrid transcript with a 5′ leader derived from mitochondrial RNA, 1
Miyazaki, C., Kawai, Y., Ohtsubo, H. & Ohtsubo, E., Unidirectional replication of plasmid R100, 331
Moellering, H. (see also Hoeffken, H. W.), 417
Molecular interactions in the control region of the *car*AB operon encoding *E. coli* carbamoylphosphate synthetase, 867
Morrison, R. (see also Weber, P. L.), 483
Muirhead, H. (see also Wigley, D. B.), 1041
Murine chromosomal fragment containing the interferon β gene, structure and characterization, 221
Muroga, Y. (see also Hiragi, Y.), 129
Murzin, A. G. & Finkelstein, A. V., General architecture of the α-helical globule, 749
Muscle, asynchronous flight; troponin, 621
Muscle, embryonic; isolation and characterization of the chick myosin alkali light chain gene, 497

Muscle, flight, insect; two attached non-rigor crossbridge forms, 357
Muscle, skeletal, rabbit, thin filaments are in helical register, 797
Myosin alkali light chain gene, chick, expressed in embryonic gizzard muscle; isolation, 497
Myosin head in the rigor complex; three-dimensional image reconstruction, 639
Nabeshima, Y. (see also Nabeshima, Y.-i.), 497
Nabeshima, Y.-i., Nabeshima, Y., Kawashima, M., Nakamura, S., Nonomura, Y. & Fujii-Kuriyama, Y., Isolation of the chick myosin alkali light chain gene expressed in embryonic gizzard muscle and transitional expression of the light chain gene family *in vivo*, 497
Nakabeppu, Y. (see also Yamagata, Y.), 1055
Nakamura, S. (see also Nabeshima, Y.-i.), 497
Nakamura, Y. (see also Jin, D. J.), 247
Nardi, I. (see also de Lucchini, S.), 805
Nargang, F. E. (see also Akins, R. A.), 1
Nash, H. A. (see also Kitts, P. A.), 95
Nègre, D., Cenatiempo, Y. & Cozzone, A. J., Differential pattern of misreading induced by streptomycin *in vitro*, 213
Ness, P. J. (see also Bettler, B.), 549
Neurospora, nucleotide sequence of the Varkud mitochondrial plasmid and synthesis of a hybrid transcript with a 5′ leader from mitochondrial RNA, 1
Ngai, K. L. (see also Pathak, D.), 435
N-methyl-*N*′nitro-*N*-nitrosoguanidine mutagenesis in the *SUP4*-o gene of *Saccharomyces cerevisiae*, role of neighbouring bases and assessment of strand specificity, 561
Noller, H. F. (see also Stern, S.), 447
Nomura, M. (see also Cerretti, D. P.), 309
Nomura, M. (see also Mattheakis, L. C.), 326
Nonomura, Y. (see also Nabeshima, Y.-i.), 497
Nuclear magnetic resonance and distance geometry, in complete three-dimensional structure of Tendamistat, 675
Nucleolar dominance in wheat; DNase I sensitivity of rRNA genes in chromatin, 535
Nucleolus organizer expression in wheat, and regulation of cytosine methylation in rDNA, 523
Nucleosome core DNA in intact chromatin; photofootprint, 949
Nucleosomes, statistical positioning by specific protein-binding to an upstream activating sequence in yeast, 109
nusA, and effects of rifampicin resistant *rpoB* mutations on interactions, 247

Odawara, K. (see also Yamagata, Y.), 1055
O'Dell, M. (see also Flavell, R. B.), 523
Ogawa, H. (see also Eguchi, Y.), 61, 69
Ogawa, T. (see also Eguchi, Y.), 61, 69
Ogawa, T. (see also Wada, M.), 581
Ohtsubo, E. (see also Miyazaki, C.), 331
Ohtsubo, H. (see also Miyazaki, C.), 331
Okazaki, T. (see also Wada, M.), 581
Oligomeric proteins; surface, subunit interfaces and interior, 155
Oligopeptide-binding protein of *Salmonella typhimurium*, crystallization, 493
Ollis, D. (see also Pathak, D.), 435
Operator and non-operator RNA sequences, roles in bacteriophage R17 capsid assembly, 939
Operator-dependent DNA bending induced by LexA repressor, 1049
Ordered strand exchanges in phage lambda recombination, 95
oriT site-specific nicking and the F TraI protein, 205
Orthologous mammalian cytokeratin gene identification. Intron sequence conservation during evolution of human cytokeratin 10, 841
Oxyacids, protonated, are disliked by sulfate-binding protein; a molecular explanation, 783
Oxygen-dependent gene expression in yeast, and the CYP1 regulator; missense mutation suggests alternative Zn fingers as discriminating agents of gene control, 277
Oxygen-dependent gene expression in yeast, and the CYP1 regulator; overall organization of the protein sequence displays several novel structural domains, 263

P22 tailspike polypeptide chain gene, nature and distribution of sites of temperature-sensitive folding mutations, 607
Packaging of DNA in cricket sperm, 653
Padilla, A., Cavé, A. & Parello, J., Two-dimensional ^{1}H nuclear magnetic resonance study of pike pI 5·0 parvalbumin (*Esox lucius*). Sequential resonance assignments and folding of the polypeptide chain, 995
Papendorf, G. (see also Betzel, C.), 803
Parello, J. (see also Padilla, A.), 995
Parish, R. W. (see also Bettler, B.), 549
Parvalbumin, pike pI 5·0, two-dimensional ^{1}H n.m.r. study, 995
Passmore, S., Maine, G. T., Elble, R., Christ, C. & Gye, B.-K., *Saccharomyces cerevisiae* protein involved in plasmid maintenance is necessary for mating of *MAT*α cells, 593
Pathak, D., Ngai, K. L. & Ollis, D., X-ray crystallographic structure of dienelactone hydrolase at 2·8 Å, 435
Pecht, I. (see also Wherland, S.), 407
Perham, R. N. (see also Rowitch, D. H.), 663
Periplasmic oligopeptide-binding protein of *Salmonella typhimurium*; crystallization, 493
φ80 (see also Phage), 61, 69
Phage φ80 cI repressor cleavage by *E. coli* RecA protein, 61
Phage φ80 cI repressor, stimulation of RecA-mediated cleavage by deoxydinucleotides, 69
Phosphofructokinase, *E. coli*, crystal structure of the complex with its reaction products, 973
N-Phosphonacetyl-L-aspartate complex with aspartate carbamoyltransferase. X-ray refinement, analysis of conformational changes and catalytic and allosteric mechanisms, 725
Photofootprint of nucleosome core DNA in intact chromatin having different structural states, 949
Physarum ribosomal DNA, methylation is co-ordinated on the putative replication origins, 889
Piérard, A. (see also Charlier, D.), 867
Piérard, A. (see also Roovers, M.), 857
Piérard, A. (see also Weyens, G.), 1045
Piette, J. (see also Charlier, D.), 867
Plasmid maintenance; *Saccharomyces cerevisiae* protein is necessary for mating of *MAT*α cells, 593
Plasmid, mitochondrial, Varkud, nucleotide sequence, and synthesis of a hybrid transcript with a 5′ leader derived from mitochondrial RNA, 1
Plasmid NR1, complementation of mutants of the stability locus; essential functions of the *trans*-acting *stbA* and *stbB* gene products, 345
Plasmid R100, unidirectional replication, 331
Podospora anserina, sequence analysis of mitochondrial DNA; pervasiveness of a class I intron in three separate genes, 815
Poet, R. (see also Milner-White, E. J.), 777
Polyadenylation-splicing, alternative; effect of 5,6-dichloro-1-β-D-ribofuranosylbenzimidazole, 1031
Poly(1,N^6-ethenoadenylic acid) complex with gene *32* protein of bacteriophage T4; linear dichroism, 397
Positioning, statistical, or nucleosomes by specific protein-binding to an upstream activating sequence in yeast, 109
Promoter-strength measuring system, development and use, 41
Protease, alkaline, from *Bacillus lentus*; crystallization and preliminary X-ray diffraction studies, 803
Proteins, one type of gamma-turn rather than the other gives rise to chain reversal, 777
Proteins, structurally related, amino acid substitutions; a pattern recognition approach, 1019
Proteus vulgaris, nucleotide sequences of the L24/L5 intercistronic region, 326
Pseudomonas putida, structure and molecular model of creatine amidinohydrolase, 417

Quiocho, F. A. (see also Jacobson, B. L.), 783

R17 (see also Bacteriophage), 939
R17 coat protein; ribonucleoprotein complexes with translational operator analog, 927

Rabbit skeletal muscle, thin filaments are in helical register, 797
Rabkin, S. D. & Richardson, C. C., Initiation of DNA replication at cloned origins of bacteriophage, T7, 903
RecA-mediated cleavage of phage ϕ80 *c*I repressor, stimulation by deoxydinucleotides, 69
RecA protein self-assembly; multiple discrete aggregation states, 959
RecA-single-stranded DNA-adenosine 5′-*O*-(3-thiotriphosphate) complexes with different activities for cleavage of phage ϕ80 *c*I repressor, 61
Recombination, site-specific, lambda, proceeds with a defined order of strand exchanges, 95
Reedy, M. C., Reedy, M. K. & Tregear, R. T., Two attached non-rigor crossbridge forms in insect flight muscle, 357
Reedy, M. K. (see also Reedy, M. C.), 357
Regulation of controlling sequences for the *Streptomyces coelicolor* glycerol operon, 569
Regulation of cytosine methylation in ribosomal DNA and nucleolus organizer expression in wheat, 523
Regulation, translational, of the *spc* operon in *E. coli*; identification and structural analysis of the target site for S8 repressor protein, 309
Replication, DNA, initiation at cloned origins of bacteriophage T7, 903
Replication origins, putative, of *Physarum* ribosomal DNA; methylation is co-ordinated, 889
Replication, unidirectional, of plasmid R100, 331
Retrotransposon, micropia, of *Drosophila* combining structural features of DNA viruses, retroviruses and non-viral transposable elements, 233
Retroviral protease, a crystallographic study, 211
Rhodobacter sphaeroides cytochrome c_2, crystallization and X-ray diffraction analysis, 495
RNA, ribosomal, binding sites; interaction of *E. coli* ribosomal protein S8, 295
RNA, 16 S ribosomal, model for three-dimensional folding, 447
RNA, 23 S ribosomal, *E. coli*, domain VI; structure, assembly and function, 507
RNA sequences, operator and non-operator, roles in bacteriophage R17 capsid assembly, 939
RNase P, effects of mutations in the protein and RNA moieties on the efficiency of suppression by various tRNA suppressors, 879
Ribonucleoprotein complexes of R17 coat protein and a translational operator analog, 927
Ribosomal DNA, *Physarum*, methylation is co-ordinated on the putative replication origins, 889
Ribosomal DNA, regulation of cytosine methylation, and nucleolus organizer expression in wheat, 523
Ribosomal protein S8, *E. coli*, interaction with its binding sites in ribosomal RNA and mRNA, 295
Ribosomal RNA genes in chromatin, DNase I sensitivity; nucleolar dominance in wheat, 535
Ribosomal RNA genes, *Dictyostelium*, the upstream limit of nuclease-sensitive chromatin neighbors a topoisomerase I-like cluster, 549
Ribosomal RNA genes in wheat, DNase I sensitivity; nucleolar dominance in wheat, 535
Ribosomal 16 S, model for three-dimensional folding, 447
Ribosomal 23 S RNA, *E. coli*, domain VI; structure, assembly and function, 507
Richardson, C. C. (see also Rabkin, S. D.), 903
Rieger, M. & Franke, W. W., Identification of an orthologous mammalian cytokeratin gene. High degree of intron sequence conservation during evolution of human cytokeratin 10, 841
Rifampicin resistant *rpoB* mutations, effects on antitermination and interaction with *nusA* in *E. coli*, 247
Rigor complex, shape of the myosin head; three-dimensional image reconstruction, 639
Risler, J. L., DeLorme, M. O., DeLacroix, H. & Henaut, A., Amino acid substitutions in structurally related proteins. A pattern recognition approach. Determination of a new and efficient scoring matrix, 1019
Roovers, M., Charlier, D., Feller, A., Gigot, D., Holemans, F., Lissens, W., Piérard, A. & Glansdorff, N., *carP*, a novel gene regulating the transcription of the carbamoylphosphate synthetase operon of *Escherichia coli*, 857
Roovers, M. (see also Charlier, D.), 867
Roovers, M. (see also Weyens, G.), 1045
Ross, B. M. (see also Milner-White, E. J.), 777
Rowitch, D. H., Hunter, G. J. & Perham, R. N., Variable electrostatic interaction between DNA and coat protein in filamentous bacteriophage assembly, 663
Rownd, R. H. (see also Min, Y.-n.), 345
rpoB mutations, rifampicin resistant, effects on antitermination and interaction with *nusA* in *E. coli*, 247
S8 repressor protein, identification and structural analysis of the target site; translational regulation of the *spc* operon in *E. coli*, 309
Saccharomyces cerevisiae protein involved in plasmid maintenance is necessary for mating of *MAT*α cells, 593
Saccharomyces cerevisiae, role of neighbouring bases and assessment of strand specificity in ethylmethanesulphonate and *N*-methyl-*N*′nitro-*N*-nitrosoguanidine mutagenesis in the *SUP4*-o gene, 561
Sadowski, P. D. (see also Beatty, L. G.), 283
Salmonella typhimurium, crystallization of periplasmic oligopeptide-binding protein, 493
Salmonella typhimurium, nucleotide sequences of the L24/L5 intercistronic region, 326
Sano, Y. (see also Hiragi, Y.), 129
Savel-Niemann, A., Markl, J. & Linzen, B., Hemocyanins in spiders. XXII. Range of allosteric interaction in a four-hexamer hemocyanin. Co-operativity and Bohr effect in dissociation intermediates, 385
Savino, R. (see also de Lucchini, S.), 805
Schizosaccharomyces pombe, DNA sequence analysis of the *ade6* gene, 917
Schmidlin, S. (see also Bettler, B.), 549
Schnarr, M. (see also Lloubès, R.), 1049
Schuchert, P. (see also Szankasi, P.), 917
Schumacher, G. (see also Hoeffken, H. W.), 417
Sekiguchi, M. (see also Yamagata, Y.), 1055
Self-assembly, RecA protein; multiple discrete aggregation states, 959
Sequence analysis of the *ade6* gene of *Schizosaccharomyces pombe*, 917
Sequence analysis of mitochondrial DNA from *Podospora anserina*. Pervasiveness of a class I intron in three separate genes, 815
Sequence changes preceding a Shine–Dalgarno region influence *trpE* mRNA translation and decay, 51
Sequences, controlling, for the *Streptomyces coelicolor* glycerol operon; structure and regulation, 569
Sequence, local, defines *E. coli* translation startsites, 79
Sequences, nucleotide, of the L24/L5 intercistronic region of *Proteus vulgaris*, *Serratia marcescens* and *Salmonella typhimurium*, 326
Sequences, nucleotide, of three spontaneous mutations in a suppressor gene of phage T4 $tRNA^{Ser}$, 27
Sequence, nucleotide, of the Varkud mitochondrial plasmid of *Neurospora* and synthesis of a hybrid transcript with a 5′ leader derived from mitochondrial RNA, 1
Sequences, RNA, operator and non-operator, roles in bacteriophages R17 capsid assembly, 939
Sequences, spacer, extra-ribosomal, in *Triturus*, 805
Serratia marcescens, nucleotide sequences of the L24/L5 intercistronic region, 326
Shine–Dalgarno region, preceding sequence changes influence *trpE* mRNA translation and decay, 51
Shine–Dalgarno sequence, role in determining the efficiency of translation initiation at a weak start codon in the *car* operon of *E. coli* K12, 1045
Shirakihara, Y. & Evans, P. R., Crystal structure of the complex of phosphofructokinase from *Escherichia coli* with its reaction products, 973
Sieker, L. C., Turley, S., Le Trong, I., Stenkamp, R. E., Weller, P. F. & Ackerman, S. J., Crystallographic

characterization of human eosinophil Charcot-Leyden crystals, 489
Sittler, A. (see also Gallinaro, H.), 1031
Slonimski, P. P. (see also Creusot, F.), 263
Slonimski, P. P. (see also Verdière, J.), 277
Smerdon, M. J. (see also Gale, J. M.), 949
Smith, C. P. & Chater, K. F., Structure and regulation of controlling sequences for the *Streptomyces coelicolor* glycerol operon, 569
Spacer sequences, extra-ribosomal, in *Triturus*, 805
spc operon, translational regulation in *E. coli*; identification and structural analysis of the target site for S8 repressor protein, 309
Sperm, cricket; DNA packaging, 653
Spiders: range of allosteric interaction in a four-hexamer hemocyanin; co-operativity and Bohr effect in dissociation intermediates, 385
Stability locus of IncFII plasmid NR1, complementation of mutants; essential functions of the *trans*-acting *stbA* and *stbB* gene products, 345
Statistical positioning of nucleosomes by specific protein-binding to an upstream activating sequence in yeast, 109
Stellacyanin, three-dimensional model; implications for electron transfer reactivity, 407
Stenkamp, R. E. (see also Sieker, L. C.), 489
Stereo-specific ^{1}H n.m.r. assignments determined from distance geometry calculations, 483
Stern, S., Weiser, B. & Noller, H. F., Model for the three-dimensional folding of 16 S ribosomal RNA, 447
Stohl, L. L. (see also Akins, R. A.), 1
Strand exchanges, ordered, and bacteriophage lambda site-specific recombination, 95
Strand specificity in ethylmethanesulphonate and *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine mutagenesis in the *SUP4*-o gene of *Saccharomyces cerevisiae*, 561
Streptomyces coelicolor glycerol operon, structure and regulation of controlling sequences, 569
Streptomycin, differential pattern of misreading induced *in vitro*, 213
Structural analysis of the target site for S8 repressor protein; translational regulation of the *spc* operon in *E. coli*, 309
Structural domains, novel, in the CYP1 protein, 263
Structurally related proteins, amino acid substitutions; a pattern recognition approach, 1019
Structure of aggregates of tobacco mosaic virus protein at pH 7·2; temperature dependence; synchrotron small-angle X-ray scattering, 129
Structure analysis and biological implications; cubic phases of lipid-containing systems, 165
Structure of calmodulin refined at 2·2 Å resolution, 191
Structure characterization of a murine chromosomal fragment containing the interferon β gene, 221
Structure of creatine amidinohydrolase from *Pseudomonas putida*, 417
Structure, crystal, of the complex of phosphofructokinase from *Escherichia coli* with its reaction products, 973
Structure: determining stereo-specific ^{1}H n.m.r. assignments from distance geometry calculations, 483
Structure of dienelactone hydrolase at 2·8 Å, 435
Structure of domain VI of *E. coli* 23 rRNA, 507
Structure: photofootprint of nucleosome core DNA in intact chromatin having different structural states, 949
Structure and regulation of controlling sequences for the *Streptomyces coelicolor* glycerol operon, 569
Structure, segmeted α-helical coiled-coil, of the protein giardin, 789
Structure: shape of the myosin head in the rigor complex; three-dimensional image reconstruction of the actin–tropomyosin–heavy meromyosin complex, 639
Structure, three-dimensional, of the α-amylase inhibitor Tendamistat in aqueous solution by n.m.r. and distance geometry, 675
Structure: three-dimensional model of stellacyanin and its implications for elctron transfer reactivity, 407
Sulfate-binding protein dislikes protonated oxyacids; a molecular explanation, 783
SUP4-o gene of *Saccharomyces cerevisiae*, role of neighbouring bases and assessment of strand specificity in ethylmethanesulphonate and *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine mutagenesis, 561
Suppressors, tRNA; effects of mutations in the protein and RNA moieties of RNase P on the efficiency of suppression, 879
Suzuki, M. & Wakabayashi, T., Packaging of DNA in cricket sperm. A compact mode of DNA packaging, 653
Synchrotron small-angle X-ray scattering; temperature dependence of the structure of aggregates of tobacco mosaic virus protein, 129
Szankasi, P., Heyer, W.-D., Schuchert, P. & Kohli, J., DNA sequence analysis of the *ade6* gene of *Schizosaccharomyces pombe*. Wild-type and mutant alleles including the recombination hot spot allele *ade6*-M26, 917

T4 (see also Bacteriophage), 397
T7 (see also Bacteriophage), 903
Tabuchi, A. (see also Min, Y.-n.), 345
Tagawa, H. (see also Hiragi, Y.), 129
Tailspike polypeptide chain, P22, gene, nature and distribution of sites of temperature-sensitive folding mutations, 607
Target DNA sequence, and mechanism of loading of FLP recombinase, 283
Temperature dependence of the structure of aggregates of tobacco mosaic virus protein at pH 7·2; static synchrotron small-angle X-ray scattering, 129
Temperature-sensitive folding mutations in the gene for the P22 tailspike polypeptide chain; nature and distribution of sites, 607
Tendamistat, complete three-dimensional structure by n.m.r. and distance geometry, 675
Ten Heggeler-Bordier, B., Claret, F.-X. & Wahli, W., Immuno-electron microscopic identification of human estrogen receptor–DNA complexes at the estrogen-responsive element and in the first intron of a *Xenopus* vitellogenin gene, 217
Thompson, W. F. & Flavell, R. B., DNase I sensitivity of ribosomal RNA genes in chromatin and nucleolar dominance in wheat, 535
Thompson, W. F. (see also Flavell, R. B.), 523
3D gene of foot-and-mouth virus. Conservation by convergence of average sequences, 771
Thurlow, D. L. (see also Gregory, R. J.), 295
Tobacco mosaic virus (see also Virus), 129
Tolley, S. P., Derewenda, Z., Hyde, S. C., Higgins, C. F. & Wilkinson, A. J., Crystallization of the periplasmic oligopeptide-binding proteins of *Salmonella typhimurium*, 493
Tomita, K.-i. (see also Yamagata, Y.), 1055
Topoisomerase I-like cluster is neighbored by the upstream limit of nuclease-sensitive chromatin in *Dictyostelium* rRNA genes, 549
Transcription regulation of the carbamoylphosphate synthetase operon of *E. coli*, and gene *carP*, 857
tRNA suppressors; effects of mutations in the protein and RNA moieties of RNase P on the efficiency of suppression, 879
Translation initiation efficiency at a weak start codon in the *car* operon of *E. coli* K12; role of the Shine–Dalgarno sequence, 1045
Translation startsites, *E. coli*, are defined by local sequence, 79
Translational regulation of the *spc* operon in *E. coli*; identification and structural analysis of the target site for S8 repressor protein, 309
Traxler, B. A. & Minkley, E. G. Jr, Evidence that DNA helicase I and *oriT* site-specific nicking are both functions of the F TraI protein, 205
Tregear, R. T. (see also Reedy, M. C.), 357
Triturus extra-ribosomal spacer sequences, 805
Troponin of asynchronous flight muscle, 621
trpE mRNA translation and decay are influenced by sequence changes preceding a Shine–Dalgarno region, 51
trpEDCBA, *trpR* and *aroH* promoters, comparison using a promoter-strength measuring system, 41

Turley, S. (see also Sieker, L. C.), 489
Tye, B.-K. (see also Passmore, S.), 593

Ueki, T. (see also Hiragi, Y.), 129
Uhlenbeck, O. C. (see also Beckett, D.), 927, 939
Upstream limit of nuclease-sensitive chromatin in *Dictyostelium* rDNA genes neighbors a topoisomerase I-like cluster, 549

van Amerongen, H., Kuil, M. E. & van Grondelle, R., Linear dichroism of the complex between the gene *32* protein of bacteriophage T4 and poly(1,N^6-ethenoadenylic acid), 397
van Grondelle, R. (see also van Amerongen, H.), 397
Varkud mitochondrial plasmid of *Neurospora*, nucleotide sequence, and synthesis of a hybrid transcript with a 5′ leader derived from mitochondrial RNA, 1
Verdière, J., Gaisne, M., Guiard, B., Defranoux, N. & Slonimski, P. M., CYP1 (HAP1) regulator of oxygen-dependent gene expression in yeast. II. Missense mutation suggests alternative Zn fingers as discriminating agents of gene control, 277
Verdière, J. (see also Creusot, F.), 263
Villafane, R. & King, J., Nature and distribution of sites of temperature-sensitive folding mutations in the gene for the P22 tailspike polypeptide chain, 607
Villaverde, A., Martínez-Salas, E. & Domingo, E., 3D gene of foot-and-mouth disease virus. Conservation by convergence of average sequences, 771
Vincendon, P. (see also Gallinaro, H.), 1031
Virus, foot-and-mouth disease, 3D gene; conservation by convergence of average sequences, 771
Virus, tobacco mosaic, protein, temperature dependence of the structure of aggregates; synchrotron small-angle X-ray scattering, 129
Vitellogenin gene, *Xenopus*, immuno-electron microscopic identification of human estrogen receptor–DNA complexes at the estrogen-responsive element and in the first intron, 217
Vodjdani, G., Coulombel, C. & Doly, J., Structure and characterization of a murine chromosomal fragment containing the interferon β gene, 221
Vu, L. (see also Cerretti, D. P.), 309
Vu, L. (see also Mattheakis, L. C.), 326

Wada, M., Kano, Y., Ogawa, T., Okazaki, T. & Imamoto, F., Construction and characterization of the deletion mutant of *hupA* and *hupB* genes in *Escherichia coli*, 581
Wahli, W. (see also Ten Heggeler-Bordier, B.), 217
Wakabayashi, T. (see also Hirose, K.), 797
Wakabayashi, T. (see also Suzuki, M.), 653
Walter, W. A. (see also Jin, D. J.), 247
Weber, P. L., Morrison, R. & Hare, D., Determining stereospecific ^{1}H nuclear magnetic resonance assignments from distance geometry calculations, 483
Weiser, B. (see also Stern, S.), 447
Weller, P. F. (see also Sieker, L. C.), 489
Weyens, G., Charlier, D., Roovers, M., Piérard, A. & Glansdorff, N., On the role of the Shine–Dalgarno sequence in determining the efficiency of translation initiation at a weak start codon in the *car* operon of *Escherichia coli* K12, 1045
Weyens, G. (see also Charlier, D.), 867
Wheat, nucleolar dominance; DNase I sensitivity of rRNA genes in chromatin, 535
Wheat, regulation of cytosine methylation in rDNA and nucleolus organizer expression, 523
Wherland, S., Farver, D. & Pecht, I., Three-dimensional model of stellacyanin and its implications for electron transfer reactivity, 407
Wigley, D. B., Muirhead, H., Gamblin, S. J. & Holbrook, J. J., Crystallization of a ternary complex of lactate dehydrogenase from *Bacillus stearothermophilus*, 1041
Wilkinson, A. J. (see also Tolley, S. P.), 493
Wilson, K. S. (see also Betzel, C.), 803
Wlodawer, A. (see also Miller, M.), 211
Womble, D. D. (see also Min, Y.n.), 345
Wu, H.-N. (see also Beckett, D.), 939
Wüthrich, K. (see also Kline, A. D.), 675

Xenopus vitellogenin gene, immuno-electron microscopic identification of human estrogen receptor–DNA complexes in the first intron, 217
X-ray crystallographic structure of dienelactone hydrolase at 2·8 Å, 435
X-ray diffraction analysis of cytochrome c_2 from *Rhodobacter sphaeroides*, 495
X-ray diffraction studies of an alkaline protease from *Bacillus lentus*, 803
X-ray diffraction studies of 3-methyladenine-DNA glycosylase II from *E. coli*, 1055
X-ray refinement, analysis of conformational changes and catalytic and allosteric mechanisms; complex of *N*-phosphonacetyl-L-aspartate with aspartate carbamoyltransferase, 725

Yamagata, Y., Odawara, K., Tomita, K.-i., Nakabeppu, Y. & Sekigichi, M., Crystallization and preliminary X-ray diffraction studies of 3-methyladenine-DNA glycosylase II from *Escherichia coli*, 1055
Yanofsky, C. (see also Cho, K.-O.), 41, 51
Yeast, CYP1 regulator of oxygen-dependent gene expression; missense mutation suggests alternative Zn fingers as discriminating agents of gene control, 277
Yeast, CYP1 regulator of oxygen-dependent gene expression; overall organization of the protein sequence displays several novel structural domains, 263
Yeast, statistical positioning of nucleosomes by specific protein-binding to an upstream activating sequence, 109

Zimmermann, R. A. (see also Gregory, R. J.), 295
Zlotnick, A. (see also Brenner, S. L.), 959
Zn fingers, alternative, in the CYP1 protein, 277